

A150



DECT



Superior wideband
sound



Lightweight design



Ideal for video-
telephony



Long wearing
comfort

Small, light and fits every ear

The Snom A150 is one of the smallest and lightest DECT headsets in its class. Despite the compact design, the device convinces in use with its first-class broadband sound and the high DECT range of up to 15 m without any loss of quality. Thanks to the integrated battery, continuous calls of several hours

are no problem. Via Plug and Play with the included USB stick Snom A230 DECT Dongle, the headset connects easily to any Snom phone with USB port, whereupon you can start calling immediately. The Snom A150 DECT headset is the perfect companion for everyone who likes to work on the move.

Basics

- Product information
 - DECT headset
 - PN 00004388
- Placement: indoor, desktop

Dimensions and weight

- Dimensions (L × W × H, approx.)
 - Packaging: 195 mm × 95 mm × 54 mm
- Weight (approx.)
 - Headset: 23 g
 - Packaging: 252 g

Indicators

- Call status indication: 1 multicolour LED
- Charging indication: 1 red LED

Keys

- 3 dedicated audio keys
 - Mute
 - Volume + / - (rocker)
- 1 dedicated function key
 - Call control

Audio devices and features

- Headset speaker: HD audio
- Microphone: Passive noise cancelling
- Acoustic microphone mute reminder
- Voice prompts (English only)

Interfaces and connections

- Power options
 - Headset: Battery 3.8 V, 185 mAh, lithium-ion, non-removable, rechargeable

- Base station / charging cradle: Power adapter 100 - 220 V AC / 50 - 60 Hz | 6 V DC / 450 mA
- Wired interfaces
 - Base station / charging cradle: coaxial power connector (socket)
- Wireless interfaces
 - DECT

DECT technology and features

- Standard: DECT (DSAA 64 bit)
- Frequency band
 - Europe 1,880 - 1,900 MHz
- Coverage
 - Up to 15 m indoor range

Environmental conditions

- Operating ambient temperature: 0 °C - +40 °C
- Charging condition: 0 °C - +40 °C
- Humidity (non-condensing): <95 %

Package contents

- Hardware
 - Headset
 - Base station / charging cradle
 - Power adapter
 - A230 USB dongle
 - 3 accessory sets for distinct wearing options
 - Carry pouch
- Documentation
 - [Quick Installation Guide](#)

Snom accessories and compatible devices

- IP desk phone (USB)
 - D315 (PN 00004258)
 - D335 (PN 00004390)
 - D385 (PN 00004340)
 - D385N (PN 00004599)
 - D715 (PN 00004039, PN 00004381)
 - D717 (PN 00004397, PN 00004398)
 - D735 (PN 00004389, PN 00004396)
 - D785 (PN 00004349, PN 00004392)
 - D785N (PN 00004599)
 - D862 (PN 00004535)
 - D865 (PN 00004536, PN 00004546)



D315



D335



D385 /
D385N



D715



D717



D735



D785 /
D785N



D862



D865

Series overview



A310D



A310M



A330D



A330M



A100D



A100M



A150



A170



A190

Disclaimer

Further information [Snom A150 webpage](#) | [Snom Service Hub](#) | [Type approval](#) | [Warranty information](#) | [Company locations](#)

Snom, the names of Snom products, and Snom logos are trademarks owned by Snom Technology GmbH. All product specifications are subject to change without notification. Snom Technology GmbH reserves the right to revise and change this document at any time, without being obliged to announce such revisions or changes beforehand or after the fact. Although due care has been taken in the compilation and presentation of the information in this document, the data upon which it is based may have changed in the meantime. Snom therefore disclaims all warranties and liability for the accurateness, completeness, and currentness of the information published, except in the case of intention or gross negligence on the part of Snom or where liability arises due to binding legal provisions.